EVAPCO, INC. EVAPCO, INC. Washington and the wash	CLOSED CIRCUIT COOLER		DOLER	EVADOO INC	DWG. # WB3TM1806-DRC-SF	REV.	
HAY FAM MOTOR LOCATION HEAVIEST RECTOR IS UPPER SECTION FOR THE HEAVIEST SECTION IS UPPER SECTI	ODEL #	ATWB 10-3I18-Z	SCALE NTS	EVAPCO, INC		SERIAL #	DATE 5/17/2024
(2) 4" [100] BFW FLUID IN [2.4" [100] BFW FLUID OUT [2.53] 2] FLUID OUT [2.50] MPT [2.51] 4" [1.54] 4" [1.580] 5" [2.57] 5" [2.1] 4" [1.580] 5" [2.57] 5" [2	2. HÉAVIE: B. MPT DE FPT DEI BFW DE GVD DE FLG DEI PE DEN L. +UNIT W ACCESS MAKE-U 20 psi M 5. *-APPR(FOR PR PIPING Y. SERIES DRAIN E B. 3,44" [19M RECOM D. DIMENS EN	ST SECTION IS UPPER SE NOTES MALE PIPE THREA NOTES FEMALE PIPE THREA NOTES BEVELED FOR WE NOTES GROOVED NOTES FLANGE OTES PLAIN END VEIGHT DOES NOT INCLUIS SORIES (SEE ACCESSORY IP WATER PRESSURE IIN [137 kPa], 50 psi MAX [34 DXIMATE DIMENSIONS DO IE-FABRICATION OF CONN FLOW PIPING AND AUX. CBY OTHERS. MM] DIA. MOUNTING HOLE MENDED STEEL SUPPORTISIONS LISTED AS FOLLOW IGLISH FT-IN	AD EAD ELDING DE ' DRAWINGS) 44 kPa] NOT USE JECTING CROSSOVER ES. REFER TO T DRAWING.	PLAN VIE		ACCESS DOOR	FACE D
3 5/8" 3" [80] MPT 3" [80] MPT 5 1/4" 0 VERFLOW 1'-11 1/4" 18'-0" 5 486 5 1/4" 1	FL1 2	1'-10 1/4" * [565] " [50] MPT — MAKE-UP	4.9" * 1448] *	8'-3 5/8" [2 4" [100] BFW	V2" [15] VENT PING TE 7) DRAIN		
		3 5/8" 3" [80] MF DRAIN 5 1/4" 133] 4 1/4" 108] 5'-11 3 1822	3" [80] MPT OVERFLOW 3/4" 2] 9'-9 3/4"	•	11 1/4"	FACE A	